



DETAILING-DYNAMICS

FOR THOSE WHO EXPECT THE BEST!

www.detailingdynamics.com 1-866-DET-DyNA (1-866-338-3962)

Product Descriptions and Directions

Paint (1000 series)

Product Name

DyNA Gloss Restorer™

Part Number

DyNA1001

Description

Compound. Step 1 of the DyNA Paint Reconditioning System.

Description: World's Best Polish. Step 1 of 3 in the reconditioning of your automobile's paintwork. New technology incorporating polishing media used in the computer chip industry designed to permanently remove (not hide) swirl marks, spider webs, surface scratches and scuffs off your paint. Also restores plastic lenses. Safe for all painted surfaces. Can be used by hand or machine. 8 fl.oz./(236.6 mL)

Directions:

Shake well before using. Use on clean surfaces only. Do not apply in direct sunlight or onto a hot surface. Do not let product freeze.

Apply enough (dime size) onto a foam applicator to do 1-2 ft².

By hand use firm back-and-forth motion or use an orbital polisher with a medium density polishing/buffing pad.

Begin polishing with moderate pressure and release as the polish begins to break down. When removing scratches, polish perpendicular to the damage.

Add Gloss Restorer™ as needed to keep applicator moist.

Repeat as necessary to achieve desired finish.

Wipe with the DyNA Concours MicroTerry™ dampened with Liquid Gloss™.

Follow with Step 2: Gloss Refiner™ and Step 3: Brilliance™.

DyNA Gloss Refiner™

DyNA1002

Polish. Step 2 of the DyNA Paint Reconditioning System.

Description: The Ultimate Paint Pre-Cleaner. Step 2 of 3 in the reconditioning of your automobile's paintwork. This paintwork cleaner will restore the optical clarity (remove haziness) and bring out that "wow" in your paint. Contains no fillers and is designed to permanently remove (not hide) swirl marks, spider webs and fine surface scratches. Also restores plastic lenses. Safe for all painted surfaces. Can be used by hand or machine. 8 fl.oz./(236.6 mL)

Directions:

Shake well before using. Use on clean surfaces only. Do not apply in direct sunlight or onto a hot surface. Do not let product freeze.

Apply enough (dime size) onto a foam applicator to do 1-2 ft².

By hand use firm back-and-forth motion or use an orbital polisher with a soft finishing pad.

Polish with light pressure.

Add Gloss Refiner as needed to keep applicator moist.

Repeat as necessary to achieve desired finish.

Wipe with the DyNA Concours MicroTerry™ dampened with Liquid Gloss™.

Follow with Step 3: Brilliance™.

DyNA Brilliance™	DyNA1003	Sealant/Wax. Step 3 of the DyNA Paint Reconditioning System.
		<p>Description: Step 3 of 3. This high-gloss sealant will give your paint that incredible "wet look" and increased DOI (Distinction Of Image) of a show car with the durability for daily driving. Can be layered for increased depth or used over any other wax. Guaranteed to be the easiest product to use. Safe for all painted surfaces. Can be used by hand or machine. 8 fl.oz./(236.6 mL)</p>
		<p>Directions:</p>
		<p>Shake well before using. Use on clean surfaces only. Do not apply in direct sunlight or onto a hot surface. Do not let product freeze. Apply with a foam applicator by hand in a straight back-and-forth motion using no downward pressure or use an orbital polisher with a soft finishing pad.</p>
		<p>Let dry to a haze and remove with the DyNA Concours MircoTerry™.</p>
		<p>Follow with an application of Liquid Gloss™ for added clarity.</p>
DyNA Liquid Gloss™	DyNA1004	Unique Blend of Gloss Enhancers and Paint Protectors.
		<p>Description: This revolutionary "liquid shine" picks up where every other instant detailer leaves off. Not only does it enhance the shine, but actually cleans the surface and protects it with a mixture of DyNA Brilliance™ high gloss sealant. Designed to be used right after washing your automobile or after each of the paint reconditioning steps. Safe to use on any non-porous surface; great for paint, glass, plastic convertible windows and interior wood/metal/carbon fiber trim. 22 fl.oz./(651 mL)</p>
		<p>Directions:</p>
		<p>Use on a clean surface only – do not use to wipe a dusty surface.</p>
		<p>Do not apply in direct sunlight or onto a hot surface.</p>
		<p>Mist a 2 ft² area and wipe immediately with the DyNA Concours MicroTerry™. Flip cloth over frequently to expose dry surface.</p>
DyNA Purifying Prep Clay™	DyNA1005	Premium grade clay for removing Paint Contaminants! NEW!
		<p>Description: The DyNA Purifying Prep Clay™ is a premium grade detailing clay designed with a specifically made surface lubricant DyNA Liquid Gloss™ to remove paint overspray, tree sap build up, bugs, brake dust, industrial contaminants/fallout and other paint surface contaminants. 8 oz. bar with plastic container</p>
		NEW!
DyNA Ultimate Cleaner™ 8oz	DyNA1006	One Step Cleaning and Polishing lotion infused with wax.
		<p>Description: The DyNA Ultimate Cleaner™ truly is the ultimate all-in-one product that will clean, polish and protect in one step. Great for autocross and track events when you need to remove tire marks, bugs and cone marks from your car instantly and still have your car's paint protected by a coat of wax. Safely cleans and removes residue that washing will not. Safe for all painted surfaces. Can be used by hand or machine. 8 fl.oz./(236.6 mL)</p>
		<p>This is the product that we use more frequently at our shop than any other; not only because of its effectiveness, but also because of its versatility. The best description of it would be a "troubleshooter". It's a creamy cleaner which removes oxidation, surface scratches, spider webbing, water spots and especially bugs off paint or any other non-porous surface. It works by chemical action (rather than abrasively) and contains Brazilian Carnauba wax for protection. Great for restoring the color and correct sheen of the painted centers of Fuchs R wheels. Also melts road tar right off, makes an amazing chrome cleaner and safely cleans paint protection film.</p>
		<p>Directions:</p>
		<p>Shake well before using. Use on a clean surface only. Do not apply in direct sunlight or onto hot surface. Do not let product freeze.</p>
		<p>Apply enough to a foam applicator to do 2 ft² area.</p>
		<p>By hand use back-and-forth motion or use an orbital polisher with a medium polishing pad. For additional cleaning action, press down when polishing.</p>
		<p>Let dry to a haze and wipe off with the DyNA Concours MicroTerry™.</p>
		<p>Apply Liquid Gloss™ or Brilliance™ if desired for added protection.</p>

DyNA Paintwork Shampoo™

DyNA1008

Luxurious Blend of Lubricants and Water Softeners.

Description: The DyNA Paintwork Shampoo™ is a special breed of car wash that exhibits exceptional lubricity and prevents water spots even in direct sunlight. It floats dirt safely away and rinses clean while leaving your wax coating in place. Use only a capful or two for a bucket of water. Safe for all surfaces. 20 fl.oz./(591 mL)

Directions:

Do not let product freeze.

Fill wash pail half way with clean water.

Add one to two capfuls of Paintwork Shampoo™ and stir.

Rinse entire automobile thoroughly with water.

Start washing from the top of the car by loading up the sponge with Shampoo and squeezing out over each panel.

Gently wash in straight back and forth motion with no downward pressure.

Rinse the sponge in a separate pail of clean water after each panel, load sponge with Shampoo and repeat.

Rinse thoroughly with cold water and dry.

For a stunning shine follow with Liquid Gloss™ spray.

Interior (2000 series)

Product Name

DyNA Carpet Shampoo™

Part Number

DyNA2005

Description

The Unique Biodegradable Spot Remover.

Description: The DyNA Carpet Shampoo™ is a very effective yet safe cleaner. It requires no rinsing, vacuuming or waiting to see results. Produces instant results through amazing surfactant action. Safe for any colorfast carpets and upholstery that can be dampened with water. Spots will not reappear nor attract dirt after cleaning (non-magnetic). Contains no petroleum or other organic solvents of any kind (non-flammable). Odor-free with no harsh chemicals. Also makes an incredible laundry pre-spotter. 22 fl.oz./(651 mL)

Directions:

Do not let product freeze.

Thoroughly vacuum material to be cleaned.

Before using, test on a hidden area of the material to be cleaned for color removal or color change.

Use only on color stable materials.

Simply apply a generous amount on the soiled area and allow a minute for the cleaner to dwell.

Agitate with soft brush or fingertips and blot with a white cotton towel.

Repeat as necessary.

Wheels and Tires (6000 series)

Product Name

DyNA Wheel Shampoo™

Part Number

DyNA6001

Description

Revolutionary Cleanser for wheels and tires.

Description: The DyNA Wheel Shampoo™ is a revolutionary cleanser for wheels and tires that is safe and effective on all wheel types. The biodegradable solution is non-acidic and will not harm wheels (even wheels with sensitive coatings). 22 fl.oz./(651 mL)

Directions:

Do not let product freeze.

Do not apply in direct sunlight or onto a hot surface.

Rinse entire wheel thoroughly with cold water.

Simply spray a generous amount on the wheels and tires and allow 30 seconds for the cleaner to dwell.

Agitate with soft wheel brush.

Rinse thoroughly with cold water.

Repeat as necessary.

DyNA Concours Tire Treatment™

DyNA6004

Classic Show Car Tire Protectant and Dressing.

Description: The DyNA Concours Tire Treatment™ is a unique tire treatment which gives your tires the concours show car look. Penetrates into the rubber and dries completely. Goes on clear with no milky residue. The solution is environmentally friendly, non-flammable and solvent-free. 22 fl.oz./(651 mL)

Directions:

Thoroughly clean tires first. On brand new tires, the mold release agent should be initially removed.

Spray onto an applicator and wipe onto the tire wall.

Let absorb into the rubber (the longer the better) and wipe any dressing off the wheel. For additional gloss apply a second coat.

For show cars, wipe off Treatment which has dried thoroughly with a clean towel.

Detailing Accessories and tools (8000 Series)

Product Name	Part Number	Description
DyNA Natural Sea Sponge	DyNA8001a	<p>Natural Car Wash Sponge</p> <p>Description:</p> <p>Natural sponges have several distinct advantages over synthetic sponges. they are much more absorbent, more durable and longer lasting, will not stain or retain odors, and their soft texture promotes better and less abrasive cleaning. The Rock Island Sponge originates from the Gulf of Mexico and is the king of all sponges. It is unmatched in durability and quality and is renowned for its fleecy texture. It is the choice of professions for its high absorption and resiliency, yet is is also soft and silky. An examination of the sponge surface will reveal many more fine filaments (tiny needles) than comparable sponges, thus performing a safe and superior job cleaning surfaces. New 11-12 inches</p> <p>Directions:</p> <p>Fill wash pail half way with clean water. Add one to two capfuls of Paintwork Shampoo™ and stir. Rinse entire automobile thoroughly with water. Start washing from the top of the car by loading up the sponge with Shampoo and squeezing out over each panel. Gently wash in straight back and forth motion with no downward pressure. Rinse the sponge in a separate pail of clean water after each panel, load sponge with Shampoo and repeat. Rinse thoroughly with cold water and dry. For a stunning shine follow with Liquid Gloss™ spray.</p>
DyNA Wheel Brush	DyNA8002	<p>Natural Tampico Wheel Brush</p> <p>Description:</p> <p>Natural Tampico Wheel Brush set in a polypropylene block. Designed to be used with the DyNA Wheel Shampoo™ (Biodegradable and Non-Acidic) to safely and effectively clean all wheel types (even wheels with sensitive coatings). Angled handle design prevents scraped knuckles. Block size: 8 1/2"L, Trim Length: 2".</p>
DyNA Wax Applicator	DyNA8003	<p>Premium High Density Foam (2 Pack)</p> <p>Description:</p> <p>Premium, high density foam wax applicator. Two (2) pack. Used with the DyNA Brilliance™: Step 3 of the DyNA Paint Reconditioning System</p>
DyNA Dressing Applicator	DyNA8004	<p>Dual Thickness Dressing Applicator (2 pack)</p> <p>Description:</p> <p>Dual Thickness Dressing Applicator for Tires and Trim. Used with the DyNA Concours Tire Treatment to create that incredible showcar black mat or shiny look.</p>
DyNA Clarity Glass MicroSuede™	DyNA8006	<p>Super Fine Microfiber Suede (4 pack)</p> <p>Description:</p> <p>Super Fine Microfiber Suede designed specifically for cleaning windows and interior painted surfaces. Package of 4 microfibers.</p>

DyNA Concours MicroTerry™	DyNA8007	<p>100% Natural Mircofiber Concours Towel</p> <p>Description: Exceptionally soft, super absorbent natural microfiber terrycloth. Will not scratch even the finest painted surfaces. Polish and buff your car to the deepest shine you have ever seen creating that “wet look”. 30 time more absorbent than cotton. The perfect towel to clean your car’s delicate painted surfaces. Contains no artificial fibers, dyes or chemicals. Completely biodegradable. Made in the U.S.A.!</p> <p>Pre-Use and Care Instructions: Always wash and dry the towel before it’s first and subsequent use! During the manufacturing process the fabric has a tendency to become flat as it picks up contaminants from the air and machinery. There will also be a number of loose threads that, while they cause no harm, can be annoying the first time you use the towel. The DyNA Concours MicroTerry™ is an exclusively soft, supple and absorbent 100% natural microfiber Terry Towel. It is easy to clean and with proper care will last a very long time. To clean the towel simply wash it in your washing machine using warm or hot water. If you use hot water the temperature should not exceed 150°F.</p> <p>Always wash your towels separately from other fabrics. They have a tendency to pick up lint and other particles from other fabrics and the next time you use your towels this lint will transfer to the surface being cleaned, only making your job harder. ONLY USE LIQUID DETERGENTS, never use dry detergents as many times the granules do not fully dissolve and become trapped in the towel. This can cause scratching of the surface you are cleaning.</p> <p>NEVER USE BLEACH OR FABRIC SOFTENERS! You simply don’t need them. Bleach will damage any fine fabric and fabric softeners deposit a chemical coating on the fabric that you really don’t want to transfer to your car’s finish or windows.</p> <p>Either air dry the towel on a clean line or in your clothes dryer using low heat. AVOID HIGH HEAT! High dryer temperatures won’t damage the towel but can reduce the towel’s life span. Also, don’t use those toss in fabric softener towels, all they do is deposit chemicals on the fabric that will transfer off to whatever you are cleaning or polishing with the towel.</p> <p>If you wash your towels on a regular basis and don’t let them get too dirty they will last much longer. As with any fine fabric dirt particles, grease, and other contaminants can cause the fibers to break down so regular cleaning will go a long way in preserving your towels. The more the towel is cleaned the fluffier and softer it will get.</p> <p>As you use the DyNA Concours MicroTerry™ you will notice that sometimes a thread will loosen or pull out here or there. This is normal for terrycloth and you should NEVER PULL AT THE LOOSE THREAD! Pulling the thread can cause the weave to come undone or stitching to unravel. Instead, simply trim the thread with a pair of sharp scissors to about 1/4 of an inch from the surface, don’t cut too closely. Think of it as giving your towel a haircut from time to time.</p>
DyNA White Foam Hand Pad	DyNA8010	<p>Aggressive Buffing/Polishing Pad</p> <p>Description: Aggressive Hand Buffing and Polishing Pad. Designed to be used by hand with Step 1: DyNA Gloss Restorer™ of the Three Step DyNA Paint Reconditioning System. Used to remove swirl marks, spider webs, surface scratches and scuffs off your paint. Also used to restore plastic lenses. Machine washable.</p>
DyNA Black Foam Hand Pad	DyNA8011	<p>Medium Density Polishing/Pre-Cleaning Pad</p> <p>Description:</p>

Hand Polishing and Pre-Cleaning Pad. Designed to be used by hand with Step 2: DyNA Gloss Refiner™ of the Three Step DyNA Paint Reconditioning System and also the DyNA Ultimate Cleaner™. Used to restore the optical clarity (remove haziness) and bring out that "wow" in your paint prior to waxing or applying the DyNA Brilliance™. Is designed for removing swirl marks, spider webs and fine surface scratches. Also used to restore plastic lenses. Machine Washable.

DyNA Shampoo Brush	DyNA8012	<p>Natural Horsehair Brush for Rag Top/Fabric Interiors</p> <p>Description:</p> <p>Natural Horsehair Brush Brush for Rag Top/Fabric Interiors set in a polypropylene block. Designed to be used with the DyNA Carpet Shampoo™ (Biodegradable Spot Remover) to safely and effectively clean carpets and interior upholstery. Also used with our DyNA Paintwork Shampoo™ to safely clean convertible ragtops. Extreme flare is convenient for scrubbing hard-to-reach places. Block size: 6"L x 2"W, Trim Length: 1 3/8".</p>
DyNA Pro Wash Bucket	DyNA8013	<p>4.5 Gallon Wash Bucket w/Casters</p> <p>Description:</p> <p>This innovative bucket is designed to accommodate larger sponges/mitts and to be easily transported when cleaning. It features graduated measurements imprinted on the interior and a unique mesh screen which helps clean the sponge/mitt and keep dirt at the bottom of the bucket. Heavy-duty casters and a chrome-plated steel handle make it easy to move the bucket when it's full. The perfect 4.5 gallon size to accommodate cars and SUVs with casters to make it very mobile.</p>
DyNA Sheepskin Wash Mitt	DyNA8014	<p>100% Sheepskin Wash Mitt</p> <p>Description:</p> <p>Genuine sheepskin wash mitt manufactured from a special blend of durable sheepskin to lift off dirt and grime while protecting your car's finish. It's a luxurious way to wash your car safely. Superior water absorption and retention results in a professional " showroom" shine and safe for all finishes including clear coat finishes.</p> <p>Directions:</p> <p>Fill wash pail half way with clean water. Add one to two capfuls of Paintwork Shampoo™ and stir. Rinse entire automobile thoroughly with water. Start washing from the top of the car by loading up the sponge with Shampoo and squeezing out over each panel. Gently wash in straight back and forth motion with no downward pressure. Rinse the sponge in a separate pail of clean water after each panel, load sponge with Shampoo and repeat. Rinse thoroughly with cold water and dry. For a stunning shine follow with Liquid Gloss™ spray.</p>
DyNA Superior Drying MicroWeave™	DyNA8015	<p>Exclusive Waffle Weave Microfiber Drying Towel</p> <p>Description:</p> <p>This exclusive Waffle Weave Microfiber was designed specifically for drying the car. It is super soft and absorbs 7 times it's weight and will not streak like other chamois on the market. One towel will dry an entire car. Once you try it, you will never go back to using a natural or synthetic chamois again.</p>
DyNA Interior Detail Brush	DyNA8017	<p>Natural White Tampico Detail Brush</p> <p>Description:</p> <p>Natural White Tampico Detail Brush set in a wood block. Designed for cleaning leather and hard to reach interior upholstery. Block size: 4 3/4"L x 1 1/4"W, Trim Length: 5/8".</p>

Detailing Equipment (9000 Series)

Product Name	Part Number	Description
The Cyclo	DyNA9001	Model 5 Dual Head Orbital Polisher
Cyclo Yellow Pads	DyNA9002	The Cyclo Yellow Foam Aggressive Deoxidizing Buffing Pad w/Velcro Loop
Cyclo Green Pads	DyNA9003	The Cyclo Green Foam Deoxidizing Polishing Pad w/Velcro Loop
Cyclo White Pads	DyNA9004	The Cyclo White Foam Glazing/Finishing Pad w/Velcro Loop
Cyclo White Brush	DyNA9005	The Cyclo Shampoo Brush: Soft White Bristles
Velcro Backing Pads	DyNA9006	The Cyclo Velcro Backing Plate w/Velcro Hook
Cyclo Wrench	DyNA9007	The Cyclo Flat Wrench
Cyclo Polisher Kit	DyNAKITC1	DyNA9001, 2 each 9002, 9003, 9004, 9005, 9006, one 9007
DyNA Premium Cyclo Polisher Kit	DyNAKITC2	DyNAKITC1 + DyNAKIT2

Detailing Kits (K Series)

Product Name	Part Number	Description
Professional Car Wash Kit	DyNAKIT1	<p>This kit contains all the DyNA products that you will need to wash and dry you car that is packaged in our DyNA Professional Wash Bucket. It contains the following items:</p> <p>DyNA1008- DyNA Paintwork Shampoo™</p> <p>DyNA8001a- DyNA Natural Sea Sponge (NEW 11-12 inches)</p> <p>DyNA8013- DyNA Pro Wash Bucket, 4.5 Gallons bucket with casters</p> <p>DyNA8015- DyNA Superior Drying MicroWeave™</p> <p>DyNA6001- DyNA Wheel Shampoo™</p> <p>DyNA8002- DyNA Wheel Brush</p> <p>DyNA1004- DyNA Liquid Gloss™</p> <p>DyNA8007- DyNA Concours MicroTerry™</p> <p>DyNA8006- DyNA Clarity Glass MicroSuede™ (2 pack)</p>
Professional Car Wash Kit A	DyNAKIT1a	<p>This kit contains all the DyNA products that you will need to wash and dry you car that is packaged in our DyNA Professional Wash Bucket. It contains the following items:</p> <p>DyNA1008- DyNA Paintwork Shampoo™</p> <p>DyNA8014- DyNA Sheepskin Wash Mitt</p> <p>DyNA8013- DyNA Pro Wash Bucket, 4.5 Gallons bucket with casters</p> <p>DyNA8015- DyNA Superior Drying MicroWeave™</p> <p>DyNA6001- DyNA Wheel Shampoo™</p> <p>DyNA8002- DyNA Wheel Brush</p> <p>DyNA1004- DyNA Liquid Gloss™</p> <p>DyNA8007- DyNA Concours MicroTerry™</p> <p>DyNA8006- DyNA Clarity Glass MicroSuede™ (2 pack)</p>
Paint Reconditioning Kit	DyNAKIT2 NEW!	<p>This kit contains the full Three Step Paint Reconditioning System, our Liquid Gloss instant detailer, our luxurious natural microfiber towels and wax applicators attractively packaged in our Blue Satin Pouch.</p> <p>DyNA1001- DyNA Gloss Restorer™: Step 1 of the DyNA Paint Reconditioning System</p> <p>DyNA1002- DyNA Gloss Refiner™: Step 2 of the DyNA Paint Reconditioning System</p> <p>DyNA1003- DyNA Brilliance™: Step 3 of the DyNA Paint Reconditioning System</p> <p>DyNA1004- DyNA Liquid Gloss™</p> <p>DyNA8007- DyNA Concours MicroTerry™ (Three Pack)</p> <p>DyNA8010- DyNA White Foam Hand Pad: Firm Polishing Pad</p> <p>DyNA8011- DyNA Black Foam Hand Pad: Soft Polishing Pad</p> <p>DyNA8003- DyNA Wax Applicator (2 Pack)</p> <p>Satin Blue Custom Pouch with drawstring</p>
Paint Prep Clay Kit	DyNAKIT3	<p>The DyNA Paint Prep Clay Kit contains the DyNA Purifying Prep Clay™ and our Liquid Gloss™ instant detailer and lubricant.</p> <p>DyNA1005- DyNA Paint Prep Clay™- Premium grade clay for removing Paint Contaminants!</p> <p>DyNA1004- DyNA Liquid Gloss™: Instant Detailer, Gloss Enhancer and Clay Lubricant</p>
Cyclo Polisher Kit	DyNAKITC1	DyNA9001, 2 each 9002, 9003, 9004, 9005, 9006, one 9007
DyNA Premium Cyclo Polisher Kit	DyNAKITC2	DyNAKITC1 + DyNAKIT2